



बड़ौदा यू.पी.बैंक
Baroda U.P. Bank

Tender documents

For

**New Glow Sign Board/Fascia Change/New Retro
Reflective Sign Board/New Retro Reflective
Indicator Board/Repairing of
Indicator Board with Retro or Vinyl/other
Repairing Work of Glow Sign Board in Fatehpur
Region**

Baroda U. P. Bank
Regional Office, (Fatehpur Region),
2nd Floor 2-A Gautam Nagar ITI Road, Fatehpur Pin-202601
E-mail Id - pe.rofate@barodauprrb.co.in
Mobile: 7706901612


M.K.Jha
(Regional Manager)

BARODA U. P. BANK
Regional Office- 2nd floor, 2-A Gautam Nagar, ITI Road
Fatehpur-212601

क्षेत्रीय कार्यालय, 2-ए, गौतम नगर, आईटीआई रोड, फतेहपुर-212601, दूरभाष: 05180-221213
Regional Office, 2-A, Gautam Nagar, ITI Road, Fatehpur-212601, Telephone: 05180-221213
e-mail: rofate@barodauprrb.co.in





बड़ौदा यू.पी. बैंक Baroda U.P. Bank

BUPB: RO: P&E: RFP: GLOWSHINE/INDICATOR: 2020-21/215

Date. 27-01 -2021

- TENDER FOR NEW SUPPLY & REPAIRING WORK OF NEW SIGNAGE WORK (GLOW SIGN BOARD), REPLACEMENT OF OLD FLEX & VINYL IN EXISTING SIGNAGES (BACKLIT SIGNAGE). NEW RETRO REFLECTIVE SIGN BOARDS, NEW RETRO REFLECTIVE LOLLIPOP/INDICATOR BOARDS, REPAIRING OF LOLLIPOP/INDICATOR BOARDS WITH RETRO REFLECTIVE AND VINYL, OTHER REPAIRING WORKS OF GLOW SIGN BOARD WITH INSTALLATION AND PROPER REPAIRING.
- BARODA U. P. BANK, REGIONAL OFFICE, FATEHPUR INVITES SEALED TENDER FOR NEW SIGNAGE WORK (GLOW SIGN BOARD), REPLACEMENT OF OLD FLEX & VINYL IN EXISTING SIGNAGES (BACKLIT SIGNAGE). NEW RETRO REFLECTIVE SIGN BOARDS, NEW RETRO REFLECTIVE LOLLIPOP/INDICATOR BOARDS, REPAIRING OF LOLLIPOP/INDICATOR BOARDS WITH RETRO REFLECTIVE AND VINYL, OTHER REPAIRING WORKS OF GLOW SIGN BOARD WITH INSTALLATION AND PROPER REPAIRING AT OUR BRANCHES **(NO. OF BRANCHES 77 LIST ENCLOSED WITH ADDRESS)** SITUATED AT FATEHPUR DISTRICT.
- ❖ SPECIFICATIONS FOR NEW SUPPLY & REPAIRING WORK OF SIGNAGE WORK: AS ENCLOSED.
- ❖ ACCEPTABLE BRAND FOR NEW SUPPLY & REPAIRING WORK: ANNEXURE ENCLOSED.
- ❖ ARTICLES SHOULD BE OF STANDARD QUALITY, AS SPECIFIED IN ANNEXURE.

क्षेत्रीय कार्यालय, 2-ए, गौतम नगर, आईटीआई रोड, फतेहपुर-212601, दूरभाष: 05180-221213
Regional Office, 2-A, Gautam Nagar, ITI Road, Fatehpur-212601, Telephone: 05180-221213
e-mail: rofate@barodauprrb.co.in





बड़ौदा यू.पी. बैंक Baroda U.P. Bank

ELIGIBILITY:

- Only those vendors who have minimum three years experience of sale, service & repairing of NEW SIGNAGE WORK (GLOW SIGN BOARD), REPLACEMENT OF OLD FLEX & VINYL IN EXISTING SIGNAGES (BACKLIT SIGNAGE), NEW RETRO REFLECTIVE SIGN BOARDS, NEW RETRO REFLECTIVE LOLLIPOP/INDICATOR BOARDS, REPAIRING OF LOLLIPOP/INDICATOR BOARDS WITH RETRO REFLECTIVE AND VINYL, OTHER REPAIRING WORKS OF GLOW SIGN BOARD WITH INSTALLATION AND PROPER REPAIRING.
- The Bidder should have local service support office at Fatehpur or area of Bank's operations.
- Experience with any PSU/Govt. for such type of work with satisfactory work done certificate or as acceptable by Bank.

WARRANTY:

- 5/10 years (as per specification enclosed) from the date of installation.
- In the event of becoming defective within warranty period, vendor would be required to provide a new replacement at no cost to the bank.
- Vendor will be responsible for service/replacement during warranty period.

VALIDITY OF RATES:

- The Rate Contract with the selected vendor will be valid up to a period of Two Year i.e.31-03-2023 from the date of acceptance of the rates.
- The bank (Regional office) will place the orders and delivery with installation will be at our branches/office in the Fatehpur Region (city & villages). Bidder shall make necessary arrangements for processing the orders.

OTHER CONDITIONS:

- The registration number of the firm along with the GSTIN no. allotted by the authorities must be submitted.
- PAN number of the firm allotted by the income tax authorities should be submitted (without which the vendor's bid would become invalid and same shall be rejected).
- Conditional tenders shall not be accepted on any ground and shall be rejected straight away.
- Any deviation of the conditions given by the purchaser will not be accepted and the bid will be rejected without assigning any reasons.
- If any clarification is required the same should be obtained before submitting the bid.
- The entire tender document must be signed with the seal and attached as mark of acceptance of terms and conditions.





बड़ौदा यू.पी. बैंक Baroda U.P. Bank

BID SUBMISSION:

- The sealed tenders must reach the **REGIONAL MANAGER, BARODA U. P. BANK, REGIONAL OFFICE – FATEHPUR 2 A GAUTAM NAGAR ITI ROAD FATEHPUR-212601 COMPLETE IN ALL RESPECT LATEST BY 5:00 PM ON 11.02.2021.** Bids received after that shall not be entertained.
- **Bids must be submitted through hand to hand or through registered Post/Courier.**
- **Bid must be delivered at the given address within given time frame.**
- **The bid must contain two Envelopes as per procedure given below.**

FIRST ENVELOPE MUST CONTAINS ALL THE DOCUMENTS GIVEN BELOW:-

1. Details of infrastructure for providing proper services and supply.
 2. Attested photocopy of document of registration of firm along with GSTIN No.
 3. Photo copy of PAN Number duly attested.
 4. Photo copy of GSTIN number duly attested.
 5. The entire tender document duly signed by the vender as a mark of acceptance of term and conditions of the tender document.
 6. All the documents should be self attested along with stamp of the Firm.
- IF ANY OF THE ABOVE DOCUMENTS IS/ARE NOT SUBMITTED OR IF SUBMITTED BUT IS NOT DULY ATTESTED, THE BID WILL BE REJECTED & PRICE BIO WILL NOT BE OPENED.
 - IT MUST BE MENTIONED ON ENVELOPE **“DOCUMENT SUBMITTED FOR BID OF NEW SUPPLY & REPAIRING WORK OF SIGNAGE (GLOW SIGN BOARD)”**

SECOND ENVELOPE MUST CONTAIN ALL THE DOCUMENTS GIVEN BELOW:

SECOND ENVELOPE MUST CONTAIN only bid and nothing else.

- The price must be submitted on the prescribed format of annexure-I (Section A, B, C, D, E, F, G) along with document.
- Price bid will not be accepted on any other format or document.
- It must be clearly mentioned **“PRICE BID OF “DOCUMENT SUBMITTED FOR BID OF NEW SUPPLY & REPAIRING WORK OF SINGAGE (GLOW SIGN BOARD)”**
- BOTH TWO ENVELOPES MUST BE KEPT IN THIRD SEALED ENVELOPE AND SUPERSCRIBED **“BID FOR “DOCUMENT SUBMITTED FOR BID OF NEW SUPPLY & REPAIRING WORK OF SIGNAGE (GLOW SIGN BOARD)”**





बड़ौदा यू.पी.बैंक Baroda U.P. Bank

PROCESS & TIME FRAME:

Bids will be opened on **12-02-2021** at 11:00 AM, at Regional office, Fatehpur, Bidders can depute their representative (only one) to present at the time of opening of bid & process. No separate intimation will be given in this regard to the bidders.

EVALUATION OF BIDS:

- Quoting incredibly low value of items with a view of subverting the tender process shall be rejected straight away.

DELIVERY:

1. Delivery at site should be made within 1 month of date of placement of order which should be extended for next 07 days in special case like Natural calamities (heavy rain, earthquake, flood etc), In case of some urgent requirement of the bank, the same may be delivered urgently.
2. No extra freight or any other charges will be paid.
3. Each Glow Sign Board/Fascia Change/New Retro Reflective Sign Board/ New Retro Reflexive Indicator Board/ Repairing of indicator with new Retro Reflective Sheet/other Repairing work should be clearly marked with manufacturing date, installation date, warranty date, vendors name and Telephone Number.

LIQUIDATED DAMAGES:

In case of delay in supply/attending complaint, Liquidated damages@1.50% of the order value per week would be imposed after 7 days supply/complaint period. (Example: Rs.750/- will & deducted for delay to attend complaint within one week for an order value of Rs. 50,000/- and like). If delivery of order is not supplied within stipulated time from the date of order i.e. 1 month. Order will & automatically cancelled.

SINGLE POINT OF CONTACT FOR SUPPORT:

Bidder has to provide details of single point of contact viz, designation, address, email address, telephone/mobile No. for communicating and service support as per Annexure-II

PAYMENT TERMS:

- Payment will be made after successful installation of Sign Board/Indicator.
- The selected bidder will have to deposit 5% of total bill amount before payment in form of FDR with our bank as security money. The selected Bidder will have to sign an agreement with the Bank.





बड़ौदा यू.पी. बैंक Baroda U.P. Bank

- The Bank will pay invoices within a period of 10 days from the date of receipt of undisputed invoices.
- TDS deduction as per Income tax department.

RIGHT TO REJECT BIDS:

- I. Bank reserves the right to accept or reject any quotation or cancel the entire process at any stage without assigning any reason whatsoever. The bank does not bind itself to accept the lowest of any quotation and reserves to itself the right to accept or reject any or all quotations either in whole or part, without assigning any reason for doing so.
- II. The selected bidder is found to be unsatisfactory response/performance.
- III. If the supply delayed by more than one weeks from the due date of delivery or if deductions on account of liquidated damages exceeds more than 5% of the contract value.

REQUEST FOR INFORMATION:

All queries relating to the RFP, technical or otherwise, must be either in writing or by email only- pe.rofate@barodauprrb.co.in for any CLARIFICATION CONTACT-Regional office; 2nd Floor 2A Gautam Nagar ITI Raod Fatehpur-212601 – P&E – 7706901612.





बड़ौदा यू.पी. बैंक
Baroda U.P. Bank

PRICE QUOTATION

Annexure-I

NAME OF BIDDER: _____

ADDRESS FOR CORESSPONDENCE: _____

PERMANENT ADDRESS: _____

LOCAL FATEHPUR BASED ADDRESS: _____

TELEPHONE NO./MOB: _____

TAN/PIN/PAN NO: _____

FAX NO: _____

E-MAIL: _____

Experience: _____

ITR for 3 years attached: _____

Balance sheet for 3 years attached: _____

Experience with PSU/Govt.: _____

(Copy Enclosed): _____

Satisfactory Work Done letter attached: _____





बड़ोदा यू.पी. बैंक Baroda U.P. Bank

BILL OF QUANTITIES - SECTION- A (FOR NEW SIGNAGE WORK)

SI No	Description	QTY	Unit	Rate	Amount
A.	GLOW SIGN BOARD				
1.1	Providing and Fixing of Flexible Substrate of make, respective codes and specifications given in tender for use in Back lit signages. Cost of fascia (Backlit flex) including labour charges for plotting & pasting, tensioning ("L" angle system) with signages cabinet, electrical items, Digital Timer and fixing complete as per specification. Replacement Warranty for the Fascia materials for a period of 5 years. The Parent Manufacturer/their representative has to inspect the site and certify for quality, workmanship and materials in the Warranty card.	1	S.Ft.		
a.	SCAFFOLDING WORKS (No Extra charges for height below 25 ft.)				
	Cost of Scaffolding for Hoisting Signages, for height above 25 ft. (1) No payments will be made for scaffolding for Signage installations/ fascia change up to a height of 25 feet from the floor level to bottom of Signage. 2) If the signage is to be installed on roof top of a building, where space for working is available, no extra payments will be paid for the sake of lift/ scaffolding charges. The area of Scaffolding will be measured from the bottom of signage to Ground level x Length of signage	1	S.Ft.		

BILL OF QUANTITIES FOR FASCIA CHANGE- SECTION- B

Sr.	Description	QTY	Unit	Rate	Amount
B.	REPLACING OF OLD FLEX & VINYL OF EXISTING SIGNAGES (Backlit signage) (LIWILL BE DECIDED FOR FLEX CHANGE RATE ONLY)				
1.1	Removal of old Flex and Vinyl and providing new flex and vinyl is using the present art work approved and retaining the retaining the existing Boxing / MS Framing. Replacement Warranty for the Fascia materials for a period of 5 years. The Parent Manufacturer / their representative has to inspect the site and certify for quantity, workmanship and materials in the warranty card.	1	S.Ft.		

Date:

Sign & Stamp of Vendor

क्षेत्रीय कार्यालय, 2-ए, गौतम नगर, आईटीआई रोड, फतेहपुर-212601, दूरभाष: 05180-221213
Regional Office, 2-A, Gautam Nagar, ITI Road, Fatehpur-212601, Telephone: 05180-221213
e-mail: rofate@barodauprrb.co.in





बड़ौदा यू.पी. बैंक Baroda U.P. Bank

BILL OF QUANTITIES FOR NEW RETRO REFLECTIVE SIGN BOARDS- SECTION- C

Sr.	Description	QTY	Unit	Rate	Amount
C.	RETRO REFLECTIVE SIGN BOARDS				
1.1	Manufacturing, supplying & installation of retro reflective sign boards made up of 2 mm thick aluminum sheet, face to be fully covered with high intensity encapsulated type heat activated retro reflective sheeting conforming to type-IV of ASTM-D 4956-01 in approved colour combination including subject matter, (bi-lingual), symbols and borders etc. as per IRC:67:2001, pasted on substrate by an adhesive backing which shall be activated by applying heat and pressure conforming to class -2 of ASTM-D- 4956-01 and fixing the same with suitable sized aluminum alloy rivets @ 20 cm c/c to back support frame of M.S. angle iron of size 25x25 x3 mm along With theft resistant measures, mounted and fixed with 2 Nos. M.S. angles of size 35x35x5. Backside of aluminum sheet to be painted with two or more coats of epoxy paint over and including appropriate priming coat including all leads and lifts etc. Warranty for the retro Reflective Signboard for a period of 10 years	1	S.Ft.		

BILL OF QUANTITIES FOR NEW RETRO REFLECTIVE LOLLIPOP/INDICATOR BOARDS- SECTION- D

Sr.	Description	QTY	Unit	Rate	Amount
D.	RETRO REFLECTIVE LOLLIPOP/INDICATOR BOARDS – DOUBLE SIDE				
1.1	Manufacturing, supplying & installation of retro reflective Lollipop/indicator boards (double side) made up of 2 mm thick aluminum sheet (3x2 feet, Rectangular shape), Brand 3M, Avery Dennison, conforming to ASTM-D-4956, with double M.S. Tee section ISMT 50x50x6x mm of support length of 2500 mm. warranty for boards for a period of 10 years.	1	S.Ft.		

Date:

Sign & Stamp of Vendor

क्षेत्रीय कार्यालय, 2-ए, गौतम नगर, आईटीआई रोड, फतेहपुर-212601, दूरभाष: 05180-221213

Regional Office, 2-A, Gautam Nagar, ITI Road, Fatehpur-212601, Telephone: 05180-221213

e-mail: rofate@barodauprb.co.in





बड़ौदा यू.पी.बैंक Baroda U.P. Bank

BILL OF QUANTITIES FOR NEW RETRO REFLECTIVE LOLLIPOP/INDICATOR BOARDS- SECTION- E

Sr.	Description	QTY	Unit	Rate	Amount
E.	VINYL LOLLIPOP/INDICATOR BOARDS – DOUBLE SIDE				
1.1	Manufacturing, supplying & installation of Vinyl Lollipop/indicator boards (double side) made up of 2 mm ACP sheet (3x2 feet, Rectangular shape), Vinyl 3M, (Scotchcal 3630 series, 3650series, 7725 series) with double M.S. Tee section ISMT 50x50x6x mm of support length of 2500 mm. warranty for boars for a period of 5 years.	1	S.Ft.		

BILL OF QUANTITIES FOR FASCIA INDICATOR BOARD- SECTION- F

Sr.	Description	QTY	Unit	Rate	Amount
F.	REPLACING OF OLD VINYL OF EXISTING SIDE INDICATOR				
1.1	Removal of Old Flex and Vinyl and providing new sheet of Retro reflective Lollipop/Indicator boards (double side) made up of 2 mm Thick aluminum sheet. Brand 3M, Avery Dennison, Conforming to AS TMD 4956. Replacement Warranty for the Fascia materials for a Period of 10 years. The Parent Manufacturer / their representative has to inspect the site and certify for quality, workmanship and materials in the Warranty card. flex and vinyl is using the present art work approved and retaining the existing Boxing / M.S. Framing, All the metal portions of the existing MS Frame to be painted with one coat of antirust paint and 2 coats of white colour enamel paint,	1	S.Ft.		

Date:

Sign & Stamp of Vendor





बड़ौदा यू.पी. बैंक Baroda U.P. Bank

BILL OF QUANTITIES FOR REPAIR & MAINTANCE - SECTION G

Sr.	Description	QTY	Unit	Rate	Amount
G.	Providing and Replacing of Electrical fittings & fixtures while replacing the Flex & Vinyl in case of damaged items. A sample quantity is mentioned below. Actual quantity as per site conditions has to be replaced and got certified from the branch Head. (No Extra Charges for wiring etc. will be paid)				
1.1	LED Tube light – 36 watt (Philips/Osram/Havells)	NOS.	1		
1.2	LED Tube light Driver (Philips/Osram/Havells)	NOS.	1		
1.3	Installing of Digital timer (L&T/MDS)	NOS.	1		
	Total				

GST shall be paid extra as applicable.

Note:-

1. No extra payment shall be made for lift up to 25 ft. (bottom of the Signages) from floor level.
2. Scope of works at any location will be any one or more items from the above BOQ according to site condition.
3. Authorized Converter Certificate copy to be attached at the time of tender submission.
4. Vinyl/Flex/Retro Authorized distributor Material purchase order certificate to be produced at the time of invoice submission.
5. Flex /Vinyl/Retro Warranty certificate required at the time of invoice submission otherwise vendor payment will be hold by bank.
6. The Rates quoted will be valid for 2 Year, No Price escalation will be considered.
7. Billing is based on actual square footage / quantity of the used material in Signages, certified by the Branch concern person / Branch Manager.

Date:

Sign & Stamp of Vendor





बड़ौदा यू.पी. बैंक Baroda U.P. Bank

Annexure-II

ESCALATION MATRIX Delivery/Service Related Issue

SN	Name	Designation	Mobile No.	E-Mail Address
1.		First Level		
2.		Second Level		
3.		Third Level		
4.		Regional Head		

Any change in designation will be informed by us immediately.

Date:

Signature with designation company seal





बड़ौदा यू.पी. बैंक Baroda U.P. Bank

TECHNICAL SPECIFICATIONS FOR NEW SUPPLY (SUGGESTED)

1. SPECIFICATIONS FOR FLEX SUBSTRATE AND VINYL TO BE USED FOR SIGNAGE.

A. **FASCIA-FLEXIBLE SUBSTRATE:** The properties are given in Table 1 below.

It shall have UV resistors added while manufacturing to prevent the whiteners turning yellow due to constant exposure to UV rays. The flex and Vinyl should be warranted for a period of five years from the date of completion against yellowing/graying of flex. Plasticizer migration, wicking of flex, fungus or mildew formation, vinyl peel-off, fading, shrinkage, cracking and crazing etc.

B. **GRAPHICS:** Graphics shall be computer-cut with translucent vinyl matching the colour combination of Baroda U.P. Bank.

C. **The colour specification for the signage:** Colour Pantone number (Baroda Vermillion) 1665C.

D. **Brand Make -** 3M/Avery Dennison/LG Hausys/or Equivalent.

TABLE - 1 PHYSICAL PROPERTIES OF FLEXIBLE SUBSTRATE		
Property	Specification	Test Method
Thickness	600 micron +/- 10 %	DIN 53353
Total Weight	700 gm/ sq.mtr. +/- 5 %	DIN 53353
Base Fabric	Polyester	
Yarn	1000 x 1000 Denier	DIN EN ISO 2060
Elongation	< 50 %	ASTM 882
Tensile Strength (L/W)	150/140 Kg./2.5 Cm	DIN 53354 (Cut Strip)
Tear Strength (L/W)	25/20 Kg.	DIN 53354 (Single Tongue)
Adhesion Strength (PVC+Fabric)	50 Kg./5 Cm	DIN 53353
Light Transmission	25 to 32 %	
Substrate	Polyester scrim embedded in a white pigmented vinyl (or PVC based)	

क्षेत्रीय कार्यालय, 2-ए, गौतम नगर, आईटीआई रोड, फतेहपुर-212601, दूरभाष: 05180-221213

Regional Office, 2-A, Gautam Nagar, ITI Road, Fatehpur-212601, Telephone: 05180-221213

e-mail: rofate@barodauprb.co.in





बड़ोदा यू.पी. बैंक Baroda U.P. Bank

TABLE - 2 PHYSICAL PROPERTIES OF TRANSLUCENT VINYL		
Property	Specification	Test Method
Thickness (Including Adhesive)	80 mm \pm 10%	Micrometer
Tensile Strength	400 ~ 1000 g/mm	ASTM 882
Elongation	100 ~ 300 %	ASTM 882
Peel adhesion (24 hrs)	1,200 g/in	180 peeling PSTC-1
Application temp.	10° C	18 to 25° optimum, on clean substrate
Gloss	30 \pm 5	@60, in Machine Direction (ASTM D 2457)
Dimensional Stability	Max 0.5%	Adhered to Aluminum Plate, Length Direction (100°C oven, 2hr Average)
Release liner thickness	0.17mm \pm 0.08mm	Micrometer
Colour	Baroda Vermillion Pantone 1665 C	

Note:-

- Written warranty shall be obtained for 5 years for per signage/site from the original manufacture through vendors/signage Contractor for Flex & Vinyl supply from date of installation. Vendors/Signage contractor to Submit tender specific authorization from original Manufacturer for Flex Vinyl.
- Flex/ Vinyl original Manufacturer should have presence in India either directly or through their subsidiaries by way of having its plants / sales offices in India.
- Every signage warranty certificate submission shall be compulsory with execution invoice.
- STANDARDS:** All the materials shall conform to the required standards & safety aspects as specified in relevant ASTM/DIN/BIS standards wherever applicable.
- The sign boards have to be fixed at various heights from the ground level as per the requirement.

2. SIGN BOX SPECIFICATIONS:

- SIGN CABINET STRUCTURE -FRAME WORK:** The box (structure) should be fabricated using square MS tube 1" x 1" of 18 gauge (of Jindal, TATA or approved equivalent make) with primer and enamel painted. ISI grade GI Sheet of 24 gauge duly powder coated for side, top and bottom and 26 gauges for back should be used. Thickness of back-lit sign board should be minimum 9". Bird-proof vent holes to be provided on the GI sheets provided on the sides of the board to dissipate hot air. Aluminum drip cap with 2" projection to be provided on the top front edge of the sign board to protect the fascia from rain. All internal metal portions of the sign cabinet to be painted with one coat of Antirust paint and 2 coats of whitecolour enamel paint.
- SIGN CABINET SUPPORT:** The sign cabinet should be provided with suitable arrangements for fixing to existing wall surface or existing supporting structures available with suitable clamps, brackets, anchor bolts etc. The arrangements should be adequate to support the weight of the cabinet and to keep it firmly in position. The minimum requirement is that the signage frame work shall be anchored to the sunshade below using 'L' angle of 25mmx25mmx5mm thick equal angle in L shape at

क्षेत्रीय कार्यालय, 2-ए, गौतम नगर, आईटीआई रोड, फतेहपुर-212601, दूरभाष: 05180-221213

Regional Office, 2-A, Gautam Nagar, ITI Road, Fatehpur-212601, Telephone: 05180-221213

e-mail: rofate@barodauprrb.co.in





बड़ौदा यू.पी. बैंक Baroda U.P. Bank

an interval of every 5 feet (of TATA, Jindal or equivalent approved make). Further the board should be anchored from top to the back wall using suitable steel/GI wire of minimum 8mm thick. All exposed clamps; brackets etc shall be painted with two coats of synthetic enamel paint over a coat of primer. Nothing extra will be paid for fixing the cabinet in position,

- iii. **WELDING SPECIFICATIONS:** Branded welding rods should be used for welding the joints. Welding rod should be preheated prior to welding. Preheating the welding rods enables uniform & smooth flow of the welding material in the joints. If welding is done with preheated rod there will be no formation of open fissures in the joint due to smooth flow of welding material. Open fissures cause weakening of joints. Welding has to be done across the full cross section of the MS hollow pipe.
- iv. **PROTECTION OF THE FRAME:** The entire frame of the sign cabinet post welding has to be grinded around the welding joints to remove spurs and undulations if any created during welding. Post grinding the joints, the MS pipe has to be painted with zinc chromate primer and 2 coats of synthetic enamel paint of white shade.
- v. **FASTENERS:** The fasteners used shall be uniform and at such spacing that it does not spoil the appearance of the signage looking from the bottom or the sides. The head of the screw shall have capping of stainless steel.
- vi. **SIGN BOX TENSIONING SYSTEM:** A suitable tensioning system should be used for stretching flexible substrate on the front part of the sign box such that there should not be any shrinkage, cracking and crazing. Flex wrinkling/ bends shall not occur post tensioning. To ensure that the flexible substrate is tensioned uniformly an extruded aluminum tensioning system with Allan key tensioning system with rubber beading should be adopted. The sign face shall be tensioned with tensioning system all along the length and width of the sign.

3. **PROCESS OF PASTING VINYL STICKERS OVER THE FLEX SUBSTRATE:**

The pasting vinyl stickers over the flex substrate shall be undertaken with all care and techniques such as using pre mask tapes to the vinyl before initiating the fixing of the same over the flex, it shall be ensured that vinyl is properly aligned to the flex without any gaps at the outer edges, there are no air bubbles, etc., The workmanship shall be of high standards and engineering.

4. **FIXING OF THE SIGNAGES AND SAFETY AT SITE:** The signage providers shall duly assess the site condition for fixing securely by appropriate means using necessary clamp, hooks, fasteners and including minor civil works necessary at site. The entire signage so fixed at site shall withstand high wind pressure depending upon the actual locations / floor in which it is installed, It shall also be the responsibility of the signage solution provider for the safety of the installation, the signage till they accepted by the bank. While executing the work the labour force used shall comply with labour laws and all necessary safety measures shall be undertaken like using scaffolds, ladders, safety belts, helmets, gloves, appropriate tools. Suitable precautions shall be taken against overhead power lines, slippery surface or such other hazards which may be in the close proximity to the premises / site. Any damages to the signage during the process of installation will result in rejection of the signage and the same shall be replaced at their own cost.

क्षेत्रीय कार्यालय, 2-ए, गौतम नगर, आईटीआई रोड, फतेहपुर-212601, दूरभाष: 05180-221213

Regional Office, 2-A, Gautam Nagar, ITI Road, Fatehpur-212601, Telephone: 05180-221213

e-mail: rofate@barodauprb.co.in





5. ELECTRICAL COMPONENTS:

Specification of single Sided LED Modular Lights:

Sr. No.	Parameters	Significance	Desirables
Specifications for LED Module			
1	Make for LED chip	To have credible and quality products	Nichia/Cree/Lumileds/Osram
2	Make of LED Module	To have credible and quality products	Osram/Lighting Technologies/Tridonic
3	LED Module Product Name	To have credible and quality products	OsramBackLED M Plus G15/LT Maze SLHO/Tri doni cT ALEXX chail Crystal Classic P541
4	Colour CCT	CCT defines the color which the light will Emit 2000-3000K: Warm White; 3000-5000K:Day light color; 6000-7000K:Pure white color; >7000K:Cool white color	6500Kelvin(K)
5	Certifications of LED Chip	To check brightness	LM80
6	Beam Angle	A beam angle defines the distance at which the module can be kept behind the vinyl to have uniform brightness	>=150 Degree (Angle of Irradiation)
7	Mounting Technology	LED Mounting-compactness by SMD Module Mounting-Modules should not come out with heating and wind pressure	Surface Mounted Device (SMD)
8	Watt/Module	Wattage per module helps to calculate total power our signage will consume	0.72 W/0.75 W
9	LED Module Per Sqft in Signage	To check no. of LED's used in a Signage	3 Module/Per Sqft
10	System efficacy (Lm/W) or Lumin Output	It is a measure of the efficiency of a lighting system.	>95-100 Lm/W





बड़ौदा यू.पी. बैंक Baroda U.P. Bank

11	Operating temperature	To ensure proper functioning of signages at various locations.	-40 degree C to +65 degree Centigrade
12	LED Module life	It indicates the number of hours before the luminance drops to 70% of initial output	Min 50000 Burnig Hrs (L70/B50) at 85 degree Centigrade
13	Housing Module Material	Housing module material selected for holding the LED chip and lens	Poly carbonate (PC)/ RoHS (Reduction of hazardous substances) Compliant material to be used.
14	CRI (Colour Rendering Index)	to the colour rendering Index (CRI) is the index of LED tubelight compared with natural light	>=80
15	Protection class	IP defines the protection of modules for dust and water	IP 66
16	Cetifications and stadards for moudules	No hazardous substance and meeting international standard	BIS/LM79/LM80
17	LED Module Certification		YES
18	Internal drivers in Modules		Yes
19	Optics		The chip should have an optical lens
Specification for LED Driver			
20	LED Driver	Converts I/P AC voltage to DC Voltage for LEDs	Osram/Lighting Technologies / Tridonic
21	LED Driver Name	Converts I/P AC voltage to DC Voltage for LEDs	Oram Optotronic Series / Lighting Technolignes (LT)/ Tridonic TALEXX Converter
22	Driver Wattage (W)	Wattage at which driver I designed	40w/60w/100w/120w
23	Surge protection (in KV inbuilt)	To Protect the system from fluctutation in Voltage	In built Min. 6 KV (Line to ground)
24	Supply Voltage for drivers (Input Voltage)	Voltage range in which LED drivers function	90V-300V
25	Protection		Over Voltage , O)ver Current , Over Temp. , Short Circuit
26	IP rating	IP defines the protection of modules for dust and water	Min. IP 67
27	Output Power		40w/60w/100w/120w
28	Standards for LED Driver	International Standard	CE(European Conformity) /CB/C-Tick/UL (Under Written Laboratory) EN 55015, EN 62031, EN 61000-3-2, EN 61000-33, EN 61000-4-5, EN 61547, EN 61347-1, EN 61347-2-13 or As per IEC
29	Cable for Modules	Standard Cable to avoid heat and fire	AWG 18
30	Cabel For Driver	Standard Cable to avoid heat and fire	AWG 18 / AWG 17
31	Warranty	to ensure quality and life of product	5 years warranty on LED Modules and Drivers

क्षेत्रीय कार्यालय, 2-ए, गौतम नगर, आईटीआई रोड, फतेहपुर-212601, दूरभाष: 05180-221213

Regional Office, 2-A, Gautam Nagar, ITI Road, Fatehpur-212601, Telephone: 05180-221213

e-mail: rofate@barodauprb.co.in





बड़ौदा यू.पी. बैंक Baroda U.P. Bank

32	THD (Total Harmonic Distortion)		< 10%
33	Short Circuit Protection		Automatic , Reversible
34	Overload Protection		Automatic , Reversible
35	Over Temperature Protection		Automatic , Reversible
36	UL/CE/ROHS/ENEC/BIS		Yes
37	Input Under Voltage		Shut down and Auto restart
38	Manufacturer		Osram/Lighting Technologies / Tridonic
Protection Rating		Description	
	IP66	Fully Protected from dust and protected against heavy seas or powerful jets of water	
	IP67	Fully Protected from dust and can also withstand being submerged in 1 m (about 3.3 feet) of static water for up to 30 minutes	

Note:-

1. Written warranty shall be obtained for 5 years for per signage / site from the original manufacturer through vendors /signage contractor for the led modules and power supply from date of installation . Vendor / signage contractor to submit tender specific authorization from original manufacturer for LED Modules and power supply.
2. Every Signage warranty certificate submission shall be compulsory with execution invoice
3. STANDARDS : All the materials shall conform to the required standards & safety aspects as specified in relevant ASTM/BIS standards wherever applicable
4. The sign boards have to be fixed at various heights from the ground level as per the requirement.

क्षेत्रीय कार्यालय, 2-ए, गौतम नगर, आईटीआई रोड, फतेहपुर-212601, दूरभाष: 05180-221213
Regional Office, 2-A, Gautam Nagar, ITI Road, Fatehpur-212601, Telephone: 05180-221213
e-mail: rofate@barodauprb.co.in





बड़ौदा यू.पी. बैंक Baroda U.P. Bank

15. RETRO REFLECTIVE SIGN BOARDS & LOLLIPOP/INDICATOR BOARDS

Specification – Retro Reflective Sign Board (Laminated)	
Structure Pipe	1 inch
Sheet	Aluminium composite pannel (ACP) – 2 mm
Base	Retro Reflective sheet colour white
Retro Sheet	HIP (High Intensity Prismatic), Type – 4 , Class B
Brand	3 M, Avery Dennision, Conforming to ASTM4956
Specification – Retro Reflective Lollipop/Indicator Boards (Laminated) – Double Side	
ACP Sheet	2mm (3x2 feet, Rectangular Shape)
Base	Retro Reflective sheet colour white
Retro Sheet	HIP (High Intensity Prismatic), Type – 4 , Class B
Brand	3 M, Avery Dennision, Conforming to ASTM4956
M.S. Tee Section	Double M.S. Tee section ISMT 50x50x6 mm of support length of 2500 mm
Specification – Vinyl Lollipop/Indicator Boards (Laminated) – Double Side	
ACP Sheet	2mm (3x2 feet, Rectangular Shape)
Base	Vinyl 3M (Scotchal 3630 series,3650series,7725 series)
M.S. Tee Section	Double M.S. Tee section ISMT 50x50x6 mm of support length of 2500 mm

Note :-

1. Written warranty shall be obtained for 10 years for per signage/site from original Manufacturer through vendors/signage contractor for retro reflective sign boards/indicator boards and 5 years for vinyl indicator boards per board/site from date of installation. Vendors/Signage Contractor to submit tender specific authorization from Original Manufacturer for ACP and Retro.
2. Every signage warranty certificate submission shall be compulsory with execution invoice.
3. STANDARDS : All the materials shall conform to the required standards and safety aspects as specified in relevant ASTM/BIS standards wherever applicable.
4. The sign boards have to be fixed at various heights from the ground level as per the requirement.
5. Reference 10'x3', 12'x3', 15'x4', 20'x4' & 25'x4'





बड़ौदा यू.पी. बैंक Baroda U.P. Bank

BARODA U.P. BANK			
REGION: FATEHPUR			
SRNO	BRANCH NAME	BRANCH NAME (In Hindi)	FULL ADDRESS
1	ABHAYPUR RANIPUR	अभयपुर रानीपुर	VILL-RANIPUR POST-ABHAYPUR FATEHPUR
2	ADHAULI	अढौली	VILL-ADHAULI BLOCK-DHATA DIST-FATEHPUR
3	AIMAPUR	ऐमापुर	VILL-AIMAPUR POST-BARAEPUR KHAGA DIST-FATEHPUR
4	AJMATPUR	अजमतपुर	VILL-AJMATPUR POST-AJMATPUR DIST-FATEHPUR
5	ALLIPUR	अल्लीपुर	VILL-ALLIPUR MAJARE-SARI KHARGU POST-MEWALI BUJURG DIST-FATEHPUR
6	ALLIPUR BAHERA	अल्लीपुर बहेरा	VILL-ALLIPUR BAHERA POST-AIRAYAN DIST-FATEHPUR-212653
7	AMAULI	अमौली	VILL-AMAULI POST-AMAULI DIST-FATEHPUR-212631
8	AMBAPUR	अम्बापुर	VILL-AMBAPUR POST-HASWA DIST-FATEHPUR-212645
9	ASNI	असनी	VILL-ASNI POST-ASNI DIST-FATEHPUR-212651
10	ASOTHAR	असोथर	VILL-ASOTHAR POST-ASOTHAR DIST-FATEHPUR
11	AUNG	औंग	VILL-AUNG POST-AUNG DIST-FATEHPUR
12	BAHUA	बहुआ	VILL AND POST-BAHUA DIST-FATEHPUR
13	BAIRAMPUR	बैरमपुर	VILL-BAIRAMPUR POST-DAMAPUR DIST-FATEHPUR-212601
14	BAKEWAR	बकेवर	VILL-BAKEWAR POST-BAKEWAR DIST-FATEHPUR
15	BANDHWA CHAURAHA	बंधवा चौराहा	VILL- BANDHWA CHAURAHA MAJARE KONDAR POST- MAHAKHERA DIST- FATEHPUR-212661
16	BARWA	बरवा	VILL-BARWA POST-SULTANGARH DIST-FATEHPUR-212657
17	BERAGADHIWA	बेरागढीवा	VILL-BERAGADHIWA POST-BERAGADHIWA DIST-FATEHPUR-212601
18	BESANDI	बेसडी	VILL-BESANDI POST-AINJHI DIST-FATEHPUR-212620
19	BHAISOLI	भैसोली	VILL-BHAISOLI POST-BHAISOLI DIST-FATEHPUR
20	BHARHARA	भरहरा	VILL-BHARHARA POST-KORAI DIST-FATEHPUR-212601
21	BILANDA (CHAKBARARI)	बिलन्दा (चकबरारी)	BILANDA (CHAKBARARI), BLOCK-TELIYANI
22	BINDKI	बिन्दकी	BINDKI DIST-FATEHPUR
23	BUDHWA	बुदवाँ	VILL-BUDHWA/LAHURI SARAI BLOCK-AMAULI DIST-FATEHPUR
24	BUDWAN	बुदवन	VILL AND POST-BUDWAN KHAGA DIST-FATEHPUR-212655
25	CHAUDAGRA/BINDKI ROAD	चौडगरा/बिन्दकी रोड	VILL-BINDKI ROAD POST-MAUHAN DIST-FATEHPUR
26	CHURIYANI	चुरियानी	VILL AND POST-CHURIYANI DIST-FATEHPUR-212601
27	DASWANMEEL(JINDPUR)	दसवाँमील(जिन्दपुर)	VILL-DASWAMEEL(JINDPUR) POST-BANARASI BAHUA DIST-FATEHPUR-212601
28	DATAULI	दतौली	VILL AND POST-DATAULI DIST-FATEHPUR-212663
29	DEVARI BUJURG	देवरी बुजुर्ग	VILL-DEVARI BUJURG POST-DEVARI BUJURG TAHASEEL-BINDKI DIST-FATEHPUR-212657

क्षेत्रीय कार्यालय, 2-ए, गौतम नगर, आईटीआई रोड, फतेहपुर-212601, दूरभाष: 05180-221213

Regional Office, 2-A, Gautam Nagar, ITI Road, Fatehpur-212601, Telephone: 05180-221213

e-mail: rofate@barodauprb.co.in





बड़ौदा यू.पी. बैंक Baroda U.P. Bank

30	DHAKAULI	ढकौली	VILL-DHAKAULI POST-DHAKAULI DIST-FATEHPUR-212601
31	DHATA	धाता	VILL-DHATA TAHSEEL-KHAGA DIST-FATEHPUR-212641
32	GAHARUKHEDA	गहरुखेड़ा	VILL-GAHARUKHEDA POST-JAFARGANJ KHAJUHA DIST-FATEHPUR-212657
33	GAZIPUR	गाजीपुर	VILL-GAZIPUR POST-GAZIPUR DIST-FATEHPUR-216221
34	HATHGAON	हथगांव	VILL-HATHGAON POST-HATHGAON DIST-FATEHPUR
35	HUSAINGANJ	हुसेनगंज	VILL-HUSENGANJ DIST-FATEHPUR
36	JAFARGANJ	जाफरगंज	VILL-JAFARGANJ POST-JAFARGANJ DIST-FATEHPUR-212657
37	JAHANABAD	जहानाबाद	JAHANABAD FATEHPUR
38	JONIHA	जोनिहा	VILL AND POST-JONIHA DIST-FATEHPUR-212635
39	KALYANPUR	कल्यानपुर	VILL-KALYANPUR POST-KALYANPUR DIST-FATEHPUR-212664
40	KHAGA	खागा	KHUNPUR ROAD KHAGA DIST-FATEHPUR
41	KHAJUHA	खजुहा	VILL-KHAJUHA POST-KHAJUHA TASEEL-BINDKI DIST-FATEHPUR-212657
42	KHAKHRERU	खखरेरू	VILL-KHAKHRERU POST-KHAKHRERU DIST-FATEHPUR-212656
43	KORAI	कोराई	VILL-KORAI POST-KORAI DIST-FATEHPUR-212601
44	KUNWARPUR	कुँवरपुर	VILL-KUNWARPUR BLOCK-TELIYANI DIST-FATEHPUR
45	MAHRAHA	महरहा	VILL-MAHRAHA POST-MAHRAHA DIST-FATEHPUR
46	MAIN BRANCH FATEHPUR	मुख्य शाखा फतेहपुर	KATRA ABDUL GANI FATEHPUR-212601
47	MANDRAON	मंडराव	VILL-BHAWANIPUR POST-MANDRAON BINDKI DIST-FATEHPUR-212635
48	MANU KA PURWA	मानु का पुरवा	MANU KA PURWA G.T.ROAD KHAGA DIST-212655
49	MATHAEIYAPUR	मथइयापुर	VILL-MATHAEIYAPUR POST-JAMRAWN DIST-FATEHPUR-212654
50	MAVAI GANESHPUR	मवई गनेशपुर	VILL-MAVAI GANESHPUR POST-MAVAI GANESHPUR DIST-FATEHPUR-212651
51	MISSI	मिस्सी	VILL-MISSI POST-MISSI BLOCK-KHAJUHA BINDKI DIST-FATEHPUR-212657
52	MOHAMMADPUR GAUTI	मोहम्मदपुर गौती	VILL AND POST-MOHAMMADPUR GAUTI BLOCK-AIRAYAN DIST-FATEHPUR
53	MURAON	मुरांव	VILL-MURAON POST-MURAON DIST-FATEHPUR
54	MUSAFA	मुसाफा	VILL AND POST-MUSAFA TAHSEEL-BINDKI DIST-FATEHPUR
55	MUTTAUR	मुत्तौर	VILL AND POST-MUTTAUR DIST-FATEHPUR-212663
56	NARAINI	नरैनी	VILL-NARAINI POST-NARAINI DIST-FATEHPUR-212622
57	PAULI	पौली	VILL-PAULI POST-PAULI DIST-FATEHPUR
58	PREM NAGAR	प्रेम नगर	VILL-SOHADMAO POST-ALLIPUR BAHERA KHAGA DIST-FATEHPUR-212653
59	RAKSHPALPUR	रक्षपालपुर	VILL-RAKSHPALPUR POST-KHAKHRERU DIST-FATEHPUR-212656
60	RAMGANJ PAKKA TALAB	रामगंज पक्का तालाब	RAMGANJ PAKKA TALAB DIST-FATEHPUR-212601

क्षेत्रीय कार्यालय, 2-ए, गौतम नगर, आईटीआई रोड, फतेहपुर-212601, दूरभाष: 05180-221213

Regional Office, 2-A, Gautam Nagar, ITI Road, Fatehpur-212601, Telephone: 05180-221213

e-mail: rofate@barodauprb.co.in





बड़ौदा यू.पी. बैंक Baroda U.P. Bank

61	RAMPUR THARIYAON	रामपुर थरियांव	VILL-RAMPUR THARIYAON POST-BAHRAMPUR DIST-FATEHPUR
62	SAHILI	सहिली	VILL-SAHILI POST-BHARSWA DIST-FATEHPUR
63	SAKURA	सकूरा	VILL-SAKURA POST-JAHANABAD DIST-FATEHPUR-212659
64	SANGAON	सनगांव	VILL-BAHRAMPUR POST-BAHRAMPUR DIST-FATEHPUR
65	SANWAT	संवत	VILL-SANWAT TAHSEEL-KHAGA DIST-FATEHPUR-212622
66	SARKI	सरकी	VILL-SARKI POST-SARKI DIST-FATEHPUR-212621
67	SATHIGAWAN	सठिगावां	VILL-SATHIGAWAN POST-SALHEPUR DIST-FATEHPUR-212631
68	SATO JOGA	सार्तो जोगा	VILL-SATO JOGA POST-DHARMPUR SATO DIST-FATEHPUR-212623
69	SHAH	शाह	VILL-SHAH POST-SHAH DIST-FATEHPUR
70	SHAHJAHANPUR	शाहजहाँपुर	VILL-SHAHJAHANPUR POST-MAUJAR DIST-FATEHPUR-202665
71	SIJAULI	सिजौली	VILL-MANJHEPURVA POST-JAFARGANJ DIST-FATEHPUR
72	SITHAURA	सिठौरा	VILL-SITHAURA POST-SITHAURA DIST-FATEHPUR
73	SUKETI	सुकेती	VILL AND POST-SUKETI DIST-FATEHPUR
74	TEEKAR	टीकर	VILL-TEEKAR BLOCK-HASWA DIST-FATEHPUR
75	TRILOCHANPUR	त्रिलोचंपुर	VILL-TRILOCHANPUR POST-HARDON KHAGA DIST-FATEHPUR-212655
76	TRILOKIPUR (JAIRAM NAGAR)	त्रिलोकीपुर (जयराम नगर)	TRILOKIPUR JAYRAM NAGAR DIST-FATEHPUR-212601
77	VIKAS BHAWAN	विकास भवन	COLLECTORATE COMPOUND FATEHPUR-212601

क्षेत्रीय कार्यालय, 2-ए, गौतम नगर, आईटीआई रोड, फतेहपुर-212601, दूरभाष: 05180-221213

Regional Office, 2-A, Gautam Nagar, ITI Road, Fatehpur-212601, Telephone: 05180-221213

e-mail: rofate@barodauprb.co.in

