उत्तर प्रदेश ग्रामीण बैंक

Uttar Pradesh Gramin Bank

Date: 02.08.2025

ROMAHOBA/P&E//302/2025-26

Dear All Empanelled Furnishing Contractors Dear Sir,

INTERIOR FURNISHING WORK OF MANDI RATH BRANCH IN MAHOBA REGION

(Only empanelled furnishers of Uttar Pradesh Gramin Bank can quote)

Uttar Pradesh Gramin Bank Mahoba Region invites your competitive rates for the furnishing work at the premises of following branch situated in Mahoba Region under the following terms and conditions.

S.NO.	BRANCH	BRANCH STATUS	REGION	PREMISES	ARCHITECT	
						PHONENUMBER
1	MANDI RATH	Working Branch	MAHOBA	New	Corner & Edges	9839089825 8188089354

TERMS AND CONDITION

Please submit your rates in a closed envelope under following terms and conditions: -

	a dashir your rates in a closed chiveleps under following terms and conditions.
1	The rates quoted should be inclusive of all type of charges, expenses for the branch. The GST etc. Shall be paid extra.
2	Please quote your competitive rate on the enclosed formats.
3	If it is found that the material used is not the same as mentioned in quotation then the bank has the right to reject the work and the material.
4	If any type of change is required in furnishing work it should be duly approved by the Regional Manager of MAHOBA Region.
5	If the rates quoted by you are accepted to the Bank, then the furnishing work is to be completed in one month, please ensure that if the work is not completed in one month, then the bank has the right to impose the penalty at the rate of 5.00% for 15 days delay.
6	Rates quoted will be valid for 180 days from the date of opening of quotation.
7	Please ensure the measurement, quantity, items are tentative and may increase or decrease as per the requirement of bank. The variation may be up to 20%.
8	After the work is completed, it will be duly verified by the Regional Manager Mahoba Region, Branch Manager as well as the Architect authorized for supervision / verification of work M/S Corner & Edges. The architect for furnishing work at MANDI RATH branch is M/S Corner & Edges.
9	Please ensure that the bank will not provide any advance against the work order however payment in full will be made only after the work completed and verified by the Architect and Regional manager.
10	Bank will retain 5 % cost of bill for 180 days while making the payment to cover the defect liability period from the date of payment of final bill.
11	Please ensure that before starting the work at the branch, the raw material may be duly verified by the Regional Manager, Mahoba Region, Bank Empanelled architect & Branch Manager. The furnisher has to provide the full cooperation to the firms who have to complete the electrical work.
12	The quotation in a closed envelope must reach at Regional office, Mahoba Region positively on or before 22.08.2025 up to 4.30 PM.
13	Please ensure that quoting the lowest rate is not necessary, the bank may allow the work and in this regards the bank has the full right to accept or reject the one and all tenders without any notice.
14	Please submit your competitive rates in closed envelope positively on or before 22.08.2025 and the quotation will be opened on 23.08.2025(Tentative) at Regional office, Mahoba Region at 03.00 PM in presence of committee members. All empanelled furnishers (who quoted the rates) are requested to remain present at the time of opening of tenders. Please note that no separate invitation will be sent.

से सेत्रीय क्षेत्रीय कार्यालय *
महोबा अ

(Ajeet Kumar Shukla) REGIONAL MANAGER

Architects Engineers & Valvers

Goysrament of India Registered Valuer:
Income Tax Reg.No. 262/2003 CAT-1 Immovable Property
Institute of International Appraisers & Valuers
Odporate Member of Institution of Engineers (India)
Chartered Engineer Registration No. AAA 082832/C/b
Approved Architect (A.I.I.A. App.)
Expert in Water Proofing for Multistoried Residential and Commercial Building
Soil Testing, Cube Testing and Antitermitie Treatment
Member of Indian Road Congress
Failingwinia Approved:

Followship, Approved:

*Institute of international Appraisers and Valuers

*Institute of Valuers (India) Reg. No. IV-9321

*Indian Association of Structural Engineers

*Member of Consulting Engineer Association of India



CORNER'S 'n' EDGES

Prop. Vivek Singh

B.E. (CIVIL), M.I.E., (Arch.) FIV., A.M.I.E., A.M.I.V., M.I.R.C. CHARTERED ENGINEER

Quotation of Interior Furnishing of UPGB RATH MANDI Branch Region Mahoba

S.no	<u>Description of Item</u>	NO.	Qty	Unit	Rate	Amount
						And the second s
1	Cash Cabin patition made of both side 6.00 mm commercial ply on pine wood frame section , 50 X 35 mm and 1.00 mm mica, aluminum grill partition on the side and mica laminated aluminum grill door, top of case cabin covered by aluminum grill with 19.00 mm borad with sunmica pasted border , size of cash cabin 5ft X 7 ft X 8.0 ft (width , length & height respectively)	1	240	Sq.ft		
2	Bank counter of approved design for cashier made of 19.00 mm commercial block board and sunmica 1.00 mm thick of approved brand and colour on front customer top and writing desk. Height of counter from customer side 114 cm (45"). Width of writing desk 75 cm. (30") with provision of cupboard after every 1.20 mts made of 19.00 mm block board with 1.0 mm sunmica pasted innerr side drawers and cupboards be well painted in matching colour (with asian paint) and teakwood beading complete with good quality polish having clear and smooth finish . all multipurpose godrej locks & brown powder coated metallic 75 mm handles.	1	6	RFT		
	Computer counter made of 19.00 mm block board with table top at the height 75 cm and 80 cm wide sunmica 1.0 mm on top and cupboard and sliding key board with provision of fixing of glass in front. Including all locks & handles as stated above.	1	14	RFT		



4	12 MM plain glass with rounded edges with etching as per the requirement of bank for computer counter (Height: 60 cms) (With teak wood frame 70 cm).	1	28	Sq.ft		
5	Low Height Partition made of both sides 6.00 mm commercial ply laminated with 1.0 mm sunmica on Cheed Wood frame section 50.00 mmx30.00 mm with glass of 12 mm and door made of 100 x 25 Pine wood frame and ply and mica including all locks, handles & bolt, quality polish etc.	1	305	Sq.ft		
6	Counter side partition made of 19.00 mm BB& 1.00 mm mica on both sides of approved colour including all locks handles & bolt etc.	1	24	Sq.ft		
7	Column/ wall Paneling with 19.00 mm board and 1.00 mm mica	1	280	Sq.ft		
8	Storage Cabinet	1	62	Sqft		
9	Night Latch	1	1	No		
10	Full Height Partition made of both sides 6.00 mm commercial ply laminated with 1.0 mm sunmica on Cheed Wood frame section 50.00 mmx30.00 mm with glass of 12 mm and door made of 100 x 25 Pine wood frame and ply and mica including all locks, handles & bolt, quality polish etc.	1	230	No		
	<u>Total</u>					



S.no	<u>Description of Item</u>	Qty	Unit	Rate	Amount
1	Table for Manager size 150x75x75 cm (5.00 X 2.50 x2 .50) with sunmica top having CPU Stand on one side and one drawer and one cupboard on the other side made of 19.00 mm board with 1.0 mm sunmica pasted on all sides, lock on all drawers and all cupboards. Footrest with table, teak wood beading well polished with clear polish, including all locks and handles.	1	No		
2	Officer Table made of 19.00 mm board with sunmica 1.0 mm both sides and front size 135x75x75 (4.5x2.5x2.5) with Cpu stand on one side and one cupboard and one drawers on the other with lock on all drawers and all cupboards. Teak wood beading well polished with clear polish	2	No		
3	Computer Operator Chair with arms, revolving and P.U. base with twin wheel, casters, with moulded foam seat and back upholstered in good quality cloth.	0	No	0.00	0.00
4	Manager chair, high back revolving and tilting with moulded foam seat and back with P.U. arms and P.U. base, with twin wheel casters upholstered in good quality cloth. Sample chair can be seen at head office.	0	No	0.00	0.00
5	office chair,Medium back revolving with moulded foam seat with P.U. arms and P.U. base, with twin wheel casters upholstered in good quality cloth. Sample chair can be seen at head office.	0	No	0.00	0.00
6	Visitor Chair-without Arms on M.S. pipe base with moulded foam.	0	No	0.00	0.00
7	Supply and fixing of cash cabin lock Godrej make 7 levers Self-locking latch.	1	No		
	Bench, box type made of 19mm board with mica pasted on top and sides, size of bench 18 inch X 60 inch X 18 inch having two segments in box.	6	No		
	Notice board made of 19.00 mm board laminated with 1.00 mm mica of approved colour, base with 12.00 mm soft board on 6.00 mm board base, covered by good quality cherry colour cloth with sliding 5 mm glass doors, size of notice board 6" X 36" X 36".	1	No		
	Cheque writing desk made of 19.00mm block board with sunmica on side and 12.00 mm glass top with 3 segments in the box, size 48" X 12" X 12", to be property fixed on wall.	1	No		



11	Suggestion Box made of 19.00 mm board with Size = 15" X 12" Laminated with mica on top, glass in front including godrej lock & handle.	1	No		
12	Cheque Drop Box Size =15" X 12" Laminated with mica on top including godrej lock & brass handle. Glass in front	1	No		
13	Cupboard for manager and officer size 4'x1'-6"x2'-6" (120x45x75) with sunmica having 3 drawers & cupboard made of 19.00 mm board with 1.00 mm sunmica pasted on all outer sides & locks on all Drawers & all cupboards.	2	No		
14	Aluminum entrance door with partition made of aluminum section of hindalco / jindal, 63 mm X 38mm and 1.5 mm thick with 5.00mm thick glass with doors made of door section side 47mm X 44 mm and door bottom 114mm X 44 mm, top and middle section of 83 mm X 44 mm, with 5 mm glass complete with lock, door closers. Tower bolts and handles etc.	110	Sq.ft		
15	False Ceiling As required By Bank Armstrong / Insula Make having Size 24" with powder coated aluminium strip Complete supply & Fixing as required By Bank	0	sqft	0.00	NA
	<u>Total</u>		antimon		


Total Amount Rs.	-	1
		-

VIVEK SINGH Digitally signed by VIVEK SINGH Date: 2025.07.30 16:51:53 +05'30'



	Note:- All Quantities / Measurements are subject to final measurement on site in the presence of						
				ected to variation up to 10% to 20%.			
	TERMS AND CONDIT			2010 to 1010 to 2070			
A	All Board, ply etc. to be used should of proper thickness (as detailed above) free from defects of						
				ercial grade board of 'Corbett', 'Sonear', and Green ply			
В	Sunmica to be used should be of HERITAGE / SAMARAT / OPTUS brand of 1.00 mm thickness of						
	Bank's approved color						
	S.no Brand	Shade Nu	mbers				
	1 Heritage	7154 and	7154				
	4 Samrat	657 and 7	44				
С	Before installation of	material a	t site it should	be inspected and approved by an Architect/			
	authorized by the Ba	nk to ensi	are use of prope	er material. Use of non-approved brand of mica,			
				ial before proper inspection should be avoided.			
	Material installed with	hout prop	er inspection m	nay be totally rejected.			
D	Rate quoted must be I	F.O.R. i.e. a	it branches; bar	nk will not pay any transportation, packing, loading,			
	and unloading charge						
E	Metal Runners to be u	sed for dr	awers.				
F	Beadings are required						
G	CPU Stands are includ	led on eve	ry cash cabin, c	ounter, Table, cable, manager of good quality with			
	chain & foot rests are	requried	with all tables 8	counters.			
Н	The work if awarded i	s required	d to be complete	ed in given time, delay will attract penalty			
	@5.00%for 15 days bl						
I			uried to be of go	ood quality, before polishing proper denting &			
	smoothening should b						
J	The drawing of interior						
K				ed by the architect / chief manager (P& E) /			
	Regional manager or t						
L			iculty , you may	contact bank's architect or officer A &B Department.			
	List Approved Ma	aterial					
S.no	Material			Approved Brand / Make			
				Corbett Donear, Green ply Archid, century ply,			
1	Commercial Board / p	ly urea bo	onded	brands only.			
2	Laminate			Heritage / samrat , optus of 1.00 mm			
	Screw (oxidized)			Gkw/ Nettle fold			
	Hardware			ISI marked			
	Adhesive			Fevicol SH			
	6 Door closure / Floor spring			Hyper / Everite / Amar			
				Godrej			
	8 Glass			Modi, Float glass, saint Gobain			
	paints			Nerolac, Berger, Asian , Dulux			
-	Aluminum door and w	rindow see	ction	Jindal , Hindalco and MK			
	Vertical blinds			Vista			
12	Soft board			Cellotex			





PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT